



VITUSA PRODUCTS™
INCORPORATED
MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.
Product: Ammonium Bicarbonate SH Food Grade

Page 1 of 7
Revision date 7/06/2006

1. Substance/preparation and company identification

Company

BASF CORPORATION
100 Campus Drive
Florham Park, NJ 07932

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP

Molecular formula:
Synonyms:

NH₄HCO₃
AMMONIUM BICARBONATE

2. Composition/information on ingredients

CAS Number

1066-33-7

Content (W/W)

99.7225 %

Chemical name

ammonium hydrogencarbonate

3. Hazard identification

Emergency overview

WARNING: HARMFUL IF SWALLOWED.
INGESTION MAY CAUSE GASTRIC DISTURBANCES.
MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts.

Use with local exhaust ventilation

Wear a NIOSH-certified (or equivalent) particulate respirator.

Wear NIOSH-certified chemical goggles

Wear chemical resistant protective gloves

Wear protective clothing

Eye wash fountains and safety showers must be easily accessible.

Potential health effects

Primary routes of exposure

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Harmful if swallowed. SISA-Daten an BASF-Referenzstoff übertragen

Irritation:

Irritating to eyes and skin

Repeated dose toxicity:

The Competitive Advantage™

E-Mail: custserv@vitusaproducts.com • Web Site: www.vitusaproducts.com



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SCS



VITUSA PRODUCTS™
INCORPORATED
MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.
Product: Ammonium Bicarbonate SH Food Grade

Page 2 of 7
Revision date 7/06/2006

No known chronic effects

Potential environmental effects

Aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

4. First-aid measures

If inhaled:

After inhalation of decomposition products: Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Seek medical attention.

If swallowed:

Rinse mouth immediately and then drink plenty of water seek medical attention.

5. Fire-fighting measures

Suitable extinguishing media:

water, carbon dioxide, foam

Hazards during fire-fighting:

ammonia, carbon dioxide,

The substances/groups of substances mentioned can be released in case of fire

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered

NFPA Hazard codes:

Health : 2 Fire: 0 Reactivity: 0 Special:

The Competitive Advantage™

E-Mail: custserv@vitusaproducts.com • Web Site: www.vitusaproducts.com



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SCS



VITUSA PRODUCTS™
INCORPORATED
MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.
Product: Ammonium Bicarbonate SH Food Grade

Page 3 of 7
Revision date 7/06/2006

6. Accidental release measures

Personal precautions:

Breathing protection required

Environmental precautions:

This product is regulated by CERCLA ('Superfund').

Cleanup:

For residues: Dampen pick up mechanically and dispose of

7. Handling and storage

Handling

General advice:

No special measures necessary provided product is used correctly. Avoid dust formation. Ensure suitable air extract/ventilation on process machinery and transportation equipment. Ensure thorough ventilation of stores and work areas. The temperatures which must be avoided are to be considered. Sealed containers should be protected against heat as this results in pressure build-up. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

See MSDS section 5 - Fire fighting measures.

Storage

General advice:

Keep container tightly closed and dry. Keep only in the original container in a cool well-ventilated place. Keep at temperature not exceeding 30 °C

Storage incompatibility:

General: Segregate from nitrites and alkaline substances. Segregate from strong acids. Segregate from strong bases.

Specific: Sodium nitrate,

Storage stability:

Keep container dry. Protect against moisture.

Temperature tolerance

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

The Competitive Advantage™

E-Mail: custserv@vitusaproducts.com • Web Site: www.vitusaproducts.com



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SCS.



VITUSA PRODUCTS™
INCORPORATED

MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.

Product: Ammonium Bicarbonate SH Food Grade

Page 4 of 7

Revision date 7/06/2006

8. Exposure controls and personal protection

Advice on system design:

Provide local exhaust ventilation to control dust.

Personal protective equipment

Respiratory protection:

Breathing protection if gases/vapours are formed. Observe OSHA regulations for respirator use (29 CFR 1910.134)

Hand protection:

Wear chemical resistant protective gloves, Consult with glove manufacturer for testing data

Eye protection:

Tightly fitting safety goggles (chemical goggles)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Do not breathe dust. At the end of the shift the skin should be cleaned and skin-care agents applied.

9. Physical and chemical properties

Form:	crystalline powder	
Odour:	ammonia-like	
Colour:	white	
pH value:	8.3	(100 g/l, 20 °C)
Vapour pressure:	79 mbar	(25.4 °C)
	526 mbar	(50 °C)
Density:	1.58 g/cm ³	(20 °C)
Bulk density:	approx. 850 kg/m ³	
Partitioning coefficient n-octanol/water (log Pow):	-2.4	(25 °C)
Solubility in other solvents:	178 g/kg	(20 °C)

The Competitive Advantage™

E-Mail: custserv@vitusaproducts.com • Web Site: www.vitusaproducts.com



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SCS



VITUSA PRODUCTS™
INCORPORATED
MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.
Product: Ammonium Bicarbonate SH Food Grade

Page 5 of 7
Revision date 7/06/2006

10. Stability and reactivity

Substances to avoid:

nitrites nitrites strong bases, strong acids

Hazardous reactions:

Exothermic reaction Reacts with nitrates Reacts with nitrites. Reacts with strong alkalis

Decomposition products:

Hazardous decomposition products: ammonia, carbon dioxide

Thermal decomposition:

> 30 °C

To avoid thermal decomposition, do not overheat.

11. Toxicological information

Acute toxicity

Oral:

LD50/rat/male/female: approx 1 576 mg/kg

Chronic toxicity

Genetic toxicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture

Literature data

12. Ecological information

Environmental fate and transport

Biodegradation:

Evaluation:

Inorganic product which cannot be eliminated from water by biological purification processes.

Can be oxidized to nitrate, or be reduced to nitrogen, by microorganisms

Bioaccumulation:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected

Environmental toxicity

The Competitive Advantage™

E-Mail: custserv@vitusaproducts.com • Web Site: www.vitusaproducts.com



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SCS



VITUSA PRODUCTS™
INCORPORATED

MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.

Product: Ammonium Bicarbonate SH Food Grade

Page 6 of 7
Revision date 7/06/2006

Acute and prolonged toxicity to fish:
other Flow through.
Rainbow trout/LC50 (96 h): 102.13 mg/l

Toxicity to microorganisms:
DIN 38412 Part 27 (draft) aquatic
bacterium/EC10 (16 h): 1,680 mg/l

Other ecotoxicological advice:
Do not release untreated into natural waters. At the present state of knowledge no negative ecological effects are expected.

13. Disposal considerations

Waste disposal of substance:
Test for use in agriculture.
Dispose of in accordance with national, state and local regulations.

Container disposal:
Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport information

Land transport
USDOT

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

Further information

Specific national features of transport regulations must be observed. They are to be found in the shipping documents.

The Competitive Advantage™

E-Mail: custserv@vitusaproducts.com • Web Site: www.vitusaproducts.com



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SCS.



VITUSA PRODUCTS™
INCORPORATED

MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.

Product: Ammonium Bicarbonate SH Food Grade

Page 7 of 7

Revision date 7/06/2006

15. Regulatory information

Federal Regulations

Registration status:

TSCA, US released / listed

OSHA hazard category: Unstable reactive Skin and/or eye irritant

CERCLA RQ

5,000 LBS

CAS Number

1066-33-7

Chemical name

ammonium hydrogencarbonate

SARA hazard categories (EPCRA 311/312): Acute Acute Reactivity

State regulations

State RTK

CAS Number

1066-33-7

Chemical name

ammonium hydrogencarbonate

State RTK

MA NJ PA

16. Other information

HMIS III rating

Health: 2 Flammability: 0 Physical hazard: 0

HMIS uses a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates high hazard.

Local contact information

prod_reg@basf.com

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET

The Competitive Advantage™

E-Mail: custserv@vitusaproducts.com • Web Site: www.vitusaproducts.com



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS.