



VITUSA PRODUCTS™  
INCORPORATED  
**MATERIAL SAFETY DATA SHEET**

**VITUSA PRODUCTS, INC.**  
Product: PGUSP PROPYLENE GLYCOL - USP

Page 1 of 8

First Issued: 5/13/2005

---

**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

COMMERCIAL PRODUCT NAME: PGUSP PROPYLENE GLYCOL - USP  
CHEMICAL NAME AND/OR FAMILY OR DESCRIPTION: Glycol  
COMPANY/SUPPLIER: Vitusa Products, Inc.  
343 Snyder Avenue  
Berkeley Heights, NJ 07922  
Phone (908) 665-2900  
Fax (908) 665-2662  
24 Hour Emergency Phone Number: (800) 884-8872

---

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

THE CRITERIA FOR LISTING COMPONENTS IN THE COMPOSITION SECTION ARE AS FOLLOWS: CARCINOGENS ARE LISTED WHEN PRESENT AT 0.1 % OR GREATER; COMPONENTS WHICH ARE OTHERWISE HAZARDOUS ACCORDING TO OSHA ARE LISTED WHEN PRESENT AT 1.0 % OR GREATER; NON-HAZARDOUS COMPONENTS ARE LISTED AT 3.0 % OR GREATER. THIS IS NOT INTENDED TO BE COMPLETE COMPOSITIONAL DISCLOSURE. REFER TO SECTION 14 FOR APPLICABLE STATES' RIGHT TO KNOW AND OTHER REGULATORY INFORMATION.

Product and/or Component(s) Carcinogenic According to:

OSHA IARC NTP OTHER NONE X

**COMPOSITION:**

Chemical Name	CAS Number	Exposure Limits	Range in %
1,2-propanediol	57-55-6		100.00

---

**3. HAZARD IDENTIFICATION**

**EMERGENCY OVERVIEW**

APPEARANCE: Colorless mobile liquid

ODOR: Mild

**WARNING STATEMENT**

CAUTION! ASPIRATION HAZARD IF SWALLOWED CAN ENTER LUNGS AND CAUSE DAMAGE

ATTENTION: THIS PRODUCT IS NOT TO BE USED TO PRODUCE FOGS OR MISTS IN THEATRICAL, MUSICAL OR OTHER ENTERTAINMENT PERFORMANCES

*The Competitive Advantage™*

E-Mail: [custserv@vitusaproducts.com](mailto:custserv@vitusaproducts.com) ■ Web Site: [www.vitusaproducts.com](http://www.vitusaproducts.com)



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS



VITUSA PRODUCTS™  
INCORPORATED

MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.  
Product: PGUSP PROPYLENE GLYCOL - USP

3. HAZARD IDENTIFICATION (CONTINUED)

Hazardous Material	0	National Fire Protection		Flammability
Information System	1	Association NFPA	1	
(United States) Reactivity	0	(United States) Health	0	0 Reactivity
Personal protection				Specific danger

POTENTIAL HEALTH EFFECTS

Primary Route of Exposure

Eye\_\_X\_\_ Skin\_\_X\_\_ Inhalation\_\_X\_\_ Ingestion\_\_\_\_\_

Effects of Overexposure

Acute:

- Eyes: May cause minimal irritation, experienced as temporary discomfort.
- Skin: Brief contact is not irritating. Prolonged contact, as with clothing wetted with material, may cause defatting of skin or irritation, seen as local redness with possible mild discomfort. Other than the potential skin irritation effects noted above, acute (short term) adverse effects are not expected from brief skin contact; see other effects, below, and Section 11 for information regarding potential long term effects.
- Inhalation: Vapors or mist, in excess of permissible concentrations, or in unusually high concentrations generated from spraying, heating the material or as from exposure in poorly ventilated areas or confined spaces, may cause irritation of the nose and throat, headache, nausea, and drowsiness.
- Ingestion: If more than several mouthfuls are swallowed, abdominal discomfort, nausea, and diarrhea may occur. Aspiration may occur during swallowing or vomiting resulting in lung damage.

Sensitization Properties: Unknown

Chronic:

No adverse effects have been documented in humans as a result of chronic exposure. Section 11 may contain applicable animal data.

Medical Conditions Aggravated by Exposure:

There is no evidence that this product aggravates an existing medical condition.

4. FIRST AID MEASURES

- Eyes: Flush eyes with plenty of water for several minutes. Get medical attention if eye irritation persists
- Skin: Wash skin with plenty of soap and water for several minutes. Get medical attention if skin irritation develops or persists.
- Ingestion: If person is conscious and can swallow, give two glasses of water (16 oz.), but do not induce vomiting. If vomiting occurs, give fluids again. Have medical personnel determine if evacuation of stomach or induction of vomiting is necessary. Do not give anything by mouth to an unconscious or convulsing person.

The Competitive Advantage™

E-Mail: [custserv@vitusaproducts.com](mailto:custserv@vitusaproducts.com) ■ Web Site: [www.vitusaproducts.com](http://www.vitusaproducts.com)



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS



VITUSA PRODUCTS™  
INCORPORATED

**MATERIAL SAFETY DATA SHEET**

**VITUSA PRODUCTS, INC.**  
**Product: PGUSP PROPYLENE GLYCOL - USP**

Page 3 of 8

---

**4. FIRST AID MEASURES (CONTINUE)**

**Inhalation:** If irritation, headache, nausea, or drowsiness occurs, remove to fresh air. Get medical attention if breathing becomes difficult or respiratory irritation persists.

**Other Instructions:** Aspiration of this product during induced emesis may result in severe lung injury. If evacuation of stomach is necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation. Contact a Poison Center for additional treatment information.

---

**5. FIRE FIGHTING MEASURES**

Ignition Temperature - AIT (degrees C): 371.1 (700°F)

Flash Point (degrees C): 100 (212°F) (CC)

Flammable Limits % (Lower-Upper): Lower: 2.6  
Upper: 12.5

Recommended Fire Extinguishing Agents And Special Procedures: Use water spray, dry chemical, foam, or carbon dioxide to extinguish flames. Use water spray to cool fire-exposed containers. Water or foam may cause frothing.

Unusual or Explosive Hazards: None

Special Protective Equipment for Firefighters: No special equipment or procedures required.

---

**6. ACCIDENTAL RELEASE MEASURES (TRANSPORTATION SPILLS: CHEMTREC (800)424-9300)**

Procedures in Case of Accidental Release, Breakage or Leakage: Contain spill if possible, contain with absorbent materials such as clay or soil, and shovel up. Avoid skin and eye contact.

---

**7. HANDLING AND STORAGE**

**Precautions to be Taken in**

**Handling:** Minimum feasible handling temperatures should be maintained.

**Storage:** Periods of exposure to high temperatures should be minimized. Water contamination should be avoided.

*The Competitive Advantage™*

E-Mail: [custserv@vitusaproducts.com](mailto:custserv@vitusaproducts.com) ■ Web Site: [www.vitusaproducts.com](http://www.vitusaproducts.com)



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS



VITUSA PRODUCTS™  
INCORPORATED

**MATERIAL SAFETY DATA SHEET**

**VITUSA PRODUCTS, INC.**  
Product: PGUSP PROPYLENE GLYCOL - USP

Page 4 of 8

---

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

### Protective Equipment (Type)

<b>Eye/Face Protection:</b>	Safety glasses, chemical type goggles, or face shield recommended to prevent eye contact.
<b>Skin Protection:</b>	Workers should wash exposed skin several times daily with soap and water. Soiled work clothing should be laundered or dry-cleaned.
<b>Respiratory Protection:</b>	Airborne concentrations should be kept to lowest levels possible. If vapor, mist or dust is generated and the occupational exposure limit of the product, or any component of the product, is exceeded, use appropriate NIOSH or MSHA approved air purifying or air supplied respirator after determining the airborne concentration of the contaminant. Air supplied respirators should always be worn when airborne concentration of the contaminant or oxygen content is unknown.
<b>Ventilation</b>	Local exhaust ventilation recommended if generating vapor, dust, or mist. If exhaust ventilation is not available or inadequate, use MSHA or NIOSH approved respirator as appropriate.
<b>Exposure Limit for the Total Product:</b>	None established for product.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Colorless mobile liquid	<b>Odor:</b>	Mild
<b>Melting/Freezing Point (degrees C):</b>	<-60 (<-76°F)	<b>Viscosity:</b>	<20 cSt at 40°C (104°F)
<b>Solubility in Water (%):</b>	>10	<b>Boiling Point (degrees C):</b>	187.2 (369°F)
<b>Specific Gravity (water=1):</b>	1.0381	<b>Vapor Pressure:</b>	<1 mm Hg at 25°C (77°F)
<b>Vapor Density (Air=1):</b>	2.6	<b>pH:</b>	6
<b>VOC Content:</b>	28% by ASTM D 2369	<b>Other:</b>	None

---

## 10. STABILITY AND REACTIVITY

This Material Reacts Violently With:	Air   Water   Heat   Strong Oxidizers   Others   None of these X
Comments:	None
Products Evolved When Subjected to Heat or Combustion:	Toxic levels of carbon monoxide, carbon dioxide, irritating aldehydes and ketones.
Hazardous Polymerizations:	DO NOT OCCUR

*The Competitive Advantage™*

E-Mail: [custserv@vitusaproducts.com](mailto:custserv@vitusaproducts.com) ■ Web Site: [www.vitusaproducts.com](http://www.vitusaproducts.com)



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS



VITUSA PRODUCTS™  
INCORPORATED

**MATERIAL SAFETY DATA SHEET**

**VITUSA PRODUCTS, INC.**  
Product: PGUSP PROPYLENE GLYCOL - USP

Page 5 of 8

---

**11. TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION (ANIMAL TOXICITY DATA)**

Oral: LD50 > 5.00 g/kg (rat) practically non-toxic  
Dermal: LD50 > 2.00 g/kg (rabbit) practically non-toxic  
Inhalation: Believed to be practically non-toxic

**IRRITATION INDEX, ESTIMATION OF IRRITATION (SPECIES)**

Eyes: (Draize) Believed to be < 15.00 /110 (rabbit) no appreciable effect:  
Skin (Draize) Believed to be < .50 /8.0 (rabbit) no appreciable effect  
Sensitization: Not determined.

**OTHER:** None

---

**12. DISPOSAL CONSIDERATIONS:**

Waste Disposal Methods: This product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form. Under RCRA, it is the responsibility of the user of the product to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.

Remarks: none

---

**13. TRANSPORTATION INFORMATION**

**Transportation**

**DOT:**

**Proper Shipping Name:** Not regulated  
**Hazard Class:** Not regulated  
**Identification Number:** Not regulated  
**Packing Group:** Not regulated  
**Label Required:** Not regulated

*The Competitive Advantage™*

E-Mail: [custserv@vitusaproducts.com](mailto:custserv@vitusaproducts.com) ■ Web Site: [www.vitusaproducts.com](http://www.vitusaproducts.com)



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS



VITUSA PRODUCTS™  
INCORPORATED  
MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.  
Product: PGUSP PROPYLENE GLYCOL - USP

Page 6 of 8

---

**13. TRANSPORTATION INFORMATION (CONTINUED)**

IMDG  
Proper Shipping Name: Not regulated

ICAO  
Proper Shipping Name: Not regulated

TDG  
Proper Shipping Name: Not regulated  
Hazard Class: Not regulated

Identification Number: Not regulated

Label Required: Not regulated

---

**14. REGULATORY INFORMATION**

**FEDERAL REGULATIONS:**

**SARA Title III:**

**Section 302/304 Extremely Hazardous Substances**

Chemical Name	CAS Number	Range in %	TPQ	RQ
None.				

**Section 311 Hazardous Categorization:**

Acute	Chronic	Fire	Pressure	Reactive	N/A	X
-------	---------	------	----------	----------	-----	---

**Section 313 Toxic Chemical**

Chemical Name	CAS Number	Concentration
None.		

**CERCLA 102(a)/DOT Hazardous Substances:**

Chemical Name	CAS Number	Range in %	RQ
None.			

**States Right-to-Know Regulations:**

Chemical Name	State Right-to-know
None.	

**California Prop. 65:**

The following detectable components of this product are substances, or belong to classes of substances, known to the State of California to cause cancer and/or reproductive toxicity.

Chemical Name	CAS Number
None.	

*The Competitive Advantage™*

E-Mail: [custserv@vitusaproducts.com](mailto:custserv@vitusaproducts.com) ■ Web Site: [www.vitusaproducts.com](http://www.vitusaproducts.com)



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS



VITUSA PRODUCTS™  
INCORPORATED  
MATERIAL SAFETY DATA SHEET

VITUSA PRODUCTS, INC.  
Product: PGUSP PROPYLENE GLYCOL - USP

Page 7 of 8

---

## 14. REGULATORY INFORMATION (CONTINUED)

### INTERNATIONAL REGULATIONS:

**TSCA Inventory Status:**

This product, or its components, are listed on, or are exempt from the Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

**WHMIS Classification:**

Not regulated.

**Canadian Inventory Status:**

This product, or its components, are listed on or are exempt from the Canadian Domestic Substance List (DSL).

**EINECS Inventory Status:**

This product, or its components, are listed on or are exempt from the European Inventory of Existing Chemical Substances (EINECS) or the European List of Notified Chemical Substances (ELINCS).

**Australian Inventory Status:**

This product, or its components, are listed on or are exempt from the Australian Inventory of Chemical Substances (AICS).

**Japan Inventory Status:**

This product, or its components, are listed on or are exempt from the Japanese Ministry of International Trade and Industry (MITI) inventory.

---

## 15. ENVIRONMENTAL INFORMATION

**Aquatic Toxicity:**

LC50-96hr Aquatic toxicity rating is believed to be > 100.00 mg/liter practically nontoxic

**Mobility:**

Not determined.

**Persistence and Biodegradability:**

This product is reported to have a moderate ( $\geq 30\%$ ) rate of biodegradation in a test for ready biodegradation.

**Potential to Bioaccumulate:**

This product is reported to have a low potential to bioconcentrate.

**Remarks:**

None

*The Competitive Advantage™*

E-Mail: [custserv@vitusaproducts.com](mailto:custserv@vitusaproducts.com) ■ Web Site: [www.vitusaproducts.com](http://www.vitusaproducts.com)



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS



VITUSA PRODUCTS™  
INCORPORATED  
**MATERIAL SAFETY DATA SHEET**

**VITUSA PRODUCTS, INC.**  
Product: PGUSP PROPYLENE GLYCOL - USP

Page 8 of 8

---

**16. OTHER INFORMATION**

This product is currently on the FDA's GRAS (generally regarded as safe) list.

This product is not to be used to produce fogs or mists in theatrical, musical or other entertainment performances.

Supersedes: 07/01/2004

Date Issued: 5/13/2005.

The following sections have been revised: 11, 14

---

The information provided in this Material Safety Data Sheet has been compiled from our experience and data presented in various technical publications. Vitusa Products believes this information to be reliable and up to date as of the date of publication, but makes no warranty that it is. It is the users responsibility to determine the suitability of the information provided and to distribute it to those who will use, handle, store, transport, or may otherwise be exposed to this product.

---

*The Competitive Advantage™*

E-Mail: [custserv@vitusaproducts.com](mailto:custserv@vitusaproducts.com) ■ Web Site: [www.vitusaproducts.com](http://www.vitusaproducts.com)



The Quality System of Vitusa Products, Incorporated has been registered to ISO 9001:2000 by SGS